


FIG. 2




09075885-051198

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

3 / 26

FIG. 3A


ORDINARY PHOTOGRAPHY



PHOTOMETRY
AREA

FIG. 3B

SELF-PHOTOGRAPHY



PHOTOMETRY
AREA

09075885-051198
86T50" 9885/060

FIG. 4A

ORDINARY PHOTOGRAPHY

a1	a2	a3	a4	a5	AE EVALUATION VALUE OF EACH AREA	WEIGHTING COEFFICIENT (k)
a6	a7	a8	a9	a10	$a1 \cdot a2 \cdot a3 \cdot a4 \cdot a5$ $a6 \cdot a10 \cdot a11 \cdot a15$ $a16 \cdot a20 \cdot a21 \cdot a22$ $a23 \cdot a24 \cdot a25$	0.8
a11	a12	a13	a14	a15		
a16	a17	a18	a19	a20		
a21	a22	a23	a24	a25		
					$a7 \cdot a8 \cdot a9$ $a12 \cdot a13 \cdot a14$ $a17 \cdot a18 \cdot a19$	1.0


FIG. 4B

SELF-PHOTOGRAPHY

a1	a2	a3	a4	a5	AE EVALUATION VALUE OF EACH AREA	WEIGHTING COEFFICIENT (k)
a6	a7	a8	a9	a10	$a1 \cdot a2 \cdot a3 \cdot a4 \cdot a5$ $a6 \cdot a10 \cdot a11 \cdot a15$ $a16 \cdot a20 \cdot a21 \cdot a22$ $a23 \cdot a24 \cdot a25$	0.1
a11	a12	a13	a14	a15		
a16	a17	a18	a19	a20		
a21	a22	a23	a24	a25		
					$a7 \cdot a8 \cdot a9$ $a12 \cdot a14$ $a17 \cdot a18 \cdot a19$	0.8
					a13	1.0

09075885-05198
86750"5885/060

FIG. 5




09075885-051198

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

6/26

FIG. 6



86T50" 58952060

Patent 5,885,205

FIG. 7





FIG. 8



09075885-051198

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

9/26

FIG. 9A






FIG. 9B



09075885-051198

FIG. 10



09075885-051198

FIG. 11





09075885-051198
86T50-5885/060

FIG. 12



09075885-051190


FIG. 13



09075885-051198

FIG. 15A


WHEN MAIN SUBJECT IS IN FOCUS



AF PHOTOMETRY AREA

FIG. 15B

WHEN BACKGROUND IS IN FOCUS



AF PHOTOMETRY AREA

09075885-051198

86T50" 58352050

FIG. 16
(PRIOR ART)






FIG. 17 (PRIOR ART)



09075885-051198

FIG. 18
(PRIOR ART)



PARAMETER	AREA A	AREA B
P1 : AGC	REGION OF VARIABILITY (+0 ~ 21dB)	FIXED (OdB)
P2 : DIAPHRAGM MECHANISM	FIXED (VALUE WHEN OPEN)	REGION OF VARIABILITY (VALUE WHEN OPEN ~)

09075885-051198
36T50" 5885/060

86T50" 5885/060

FIG. 19
(PRIOR ART)




FIG. 20
(PRIOR ART)






FIG. 21
(PRIOR ART)




09075885-051198
06750-5885/060

FIG. 22 (PRIOR ART)



09075885-05199

FIG. 23
(PRIOR ART)



06T50"58852060

FIG. 24A




FIG. 24B




FIG. 24C






FIG. 25A



AT TIME OF ORDINARY PHOTOGRAPHY



09075885-051198

FIG. 25B

AT TIME OF SELF-PHOTOGRAPHY




09075885.051198

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

26/26

FIG. 26



09075885-05198